



Intermec

Product Profile

- Economical, yet highly functional
- Lightweight, belt-clip design makes it easy to carry
- Rugged housing built for the field environment
- 4" (10.2 cm) paper width capability
- 40-column format, with optional compressed 80-column capability
- Compatible with the Intermec® 6804T, 6805a and 6806 printers
- Linerless label option



6 8 0 8 P R I N T E R

Economical Yet Functional

The Intermec® 6808 thermal printer is the newest addition to the Intermec line of belt-clip printers. It is small, lightweight, durable and weather resistant, so it is easily incorporated into field use. Its reliable printer mechanism offers exceptional print clarity with the versatility of printing graphics, bar codes and logos.

It can quickly print both standard and bar-coded receipts, yet provides users with a 4-inch paper width capability to accommodate 40-column formats.

80-column Alternative

The unit offers the ability to provide a compressed 80-column receipt, without the field worker having to carry the bulk of a larger 80-column printer.

Long-Lasting Power Supply

The Intermec 6808 has a vehicle charger option that ensures a long day's work in the field. It has a sleep mode for battery conservation, and the unit wakes itself up when it senses data input.

Easy to Use

The Intermec 6808 is fully compatible with the Intermec 6804T, 6805a and 6806 printers. In addition, its functional design makes paper loading simple, since roll-type paper fits easily into place. And its one-year warranty provides additional peace of mind.

Intermec

Physical Characteristics

Length: 16.5cm (6.5")
 Width: 16.9cm (6.7")
 Depth: 6.7cm (2.6")
 Weight: With one battery 580g (20.6oz)

Environment

Operating Temperature:
 14° to 140° F (-10° to 60°C)
 Drop Spec: Withstands multiple 183cm
 (6') drops to concrete

Power Source

2 internal batteries, Lilon 1.8 amp/hr, 7.2v,
 2200 mAh each
 User replaceable

Battery Recharging

Nine hours to full charge using a vehicle
 cigarette lighter power adapter or stan-
 dard AC power adapter

Printer Mechanism Characteristics

Direct thermal line printer
 203 dots per inch (dpi)
 Print Speed: 5.1cm (2") per second

Fonts

Three resident fonts
 Up to four additional fonts may be
 downloaded

Print Capabilities

Characters, graphics and bar codes

Print Medium

Thermal paper, one ply
 Paper Width: 11.2cm (4.4")

Print Duration Per Charge

Over 9144cm (3,600")

Interface

IrDA®
 RS-232 serial

Chargers

AC wall charger
 12V vehicle charger

Regulatory Approvals

FCC Title 47, Part 15, Subpart B, Class B
 EN 55022 Class B
 EN 50082-1
 EN 60950

Warranty

One year warranty. Additional service
 packages available.

Some approvals and features may vary by country
 and may change without notice. Specs may vary
 based upon the specific configuration or features
 selected. Please check with your local Intermec sales
 office for further information.

**North America**

Corporate Headquarters
 6001 36th Avenue West
 Everett, Washington 98203
 tel: 425.348.2600
 fax: 425.355.9551

550 2nd Street S.E.
 Cedar Rapids, Iowa 52401
 tel: 319.369.3100
 fax: 319.369.3453

Media Supplies
 9290 Le Saint Drive
 Fairfield, Ohio 45014
 tel: 513.874.5882
 fax: 513.874.8487

Canada

7065 Tranmere Drive
 Mississauga, Ontario
 L5S 1M2 Canada
 tel: 905.673.9333
 fax: 905.673.3974

Europe/**Middle East & Africa**

Headquarters
 Reading International Business Park
 Basingstoke Road
 Reading RG2 6DD
 United Kingdom
 tel: 44.118.923.0800
 fax: 44.118.923.0801

Asia

Asia Regional Office
 26-16 International Plaza
 10 Anson Road
 Singapore 079903
 tel: 65.6324.8391
 fax: 65.6324.8393

Beijing Representative Office

29 FL, Unit A1, China Merchant Tower
 118 Jian Guo Road
 Chaoyang District, Beijing 100022
 Tel: 86.10.5165.5922
 Fax: 86.10.6567.6778

Australia

Level 4, 1-3 Atchison Street
 St. Leonards, NSW 2065
 Australia
 tel: 61.2.9330.4400
 fax: 61.2.9437.0204

South America & Mexico

Intermec South America Ltda.
 Rua Samuel Morse 120 9 andar
 Brooklin CEP04576-060
 São Paulo, SP
 Brazil
 tel: 55.11.5502.6770

Intermec Technologies de Mexico

Av Tamaulipas #141, Primer Piso
 Col. Hipodromo Condesa
 Mexico, DF, 06140 Mexico
 tel: 525.55.241.4800
 fax: 525.55.211.8121

Internet

www.intermec.com

Sales

800.347.2636
 (toll free in N.A.)
 tel: 425.348.2726

OEM Sales

tel: 425.348.2762

Service and Support

800.755.5505
 (toll free in N.A.)
 tel: 425.356.1799

Copyright © 2005 Intermec Techno-
 logies Corporation. All rights reserved.
 Intermec is a registered trademark of
 Intermec Technologies Corporation.
 All other trademarks are the property
 of their respective owners. Printed
 in the U.S.A.
 608960-01D 12/05

In a continuing effort to improve our
 products, Intermec Technologies
 Corporation reserves the right to
 change specifications and features
 without prior notice.



BARCODING, WIRELESS AND DATA COLLECTION

Our customers turn to us to help them become more productive and profitable. TPI's expertise guarantees your project will be successful: on time, on budget and meet your ROI requirements.

TPI will facilitate your entire wireless and data collection project:

- ✓ *Business analysis*
- ✓ *Project justification & ROI*
- ✓ *Wireless design, RF site survey and spectrum analysis*
- ✓ *WWAN, WLAN design & installation*
- ✓ *Custom software*
- ✓ *Integration w/legacy systems*
- ✓ *Mobile computers*
- ✓ *Data collection terminals*
- ✓ *Barcode printers, labels and scanners*
- ✓ *RFID solutions*
- ✓ *Configuration and deployment*
- ✓ *Training and installation*
- ✓ *Service and upgrades*
- ✓ *Remote device management and support*

TPI can share best practices in data collection from a number of industries including wholesale distribution, manufacturing, healthcare and retail/consumer goods. Our expertise allows you to shorten your learning curve and increase your return on investment.

Product specification sheet provided by TPI

www.tpi1.com
888-488-4244

