

Product Profile

- Lightweight, rugged and weather resistant
- Resilient high density polyethylene case
- Lithium-ion battery
- User downloadable character sets
- Works with Windows CE
- 4Mbits of flash can be updated
- Power saving sleep mode
- Intermec 782 Workboard



7 8 2 P R I N T E R W O R K B O A R D

Rugged and Affordable

The new Intermec 782 thermal and dot matrix printers are small, light durable units that can be used in even the most challenging delivery environment. Made especially to hold Intermec's 700 Series, the 782 offers exceptional clarity and versatility. These printers can quickly print both standard and bar coded receipts plus graphics such as captured signatures. Intermec printers have the features that maximize portability and minimize size along with the ability to withstand the rugged conditions of distribution applications. The printer's simple design makes paper loading easy and Lithium-ion batteries offer maximum power capacity while keeping weight to a minimum.

Reliable Quality

The reliable printer mechanism of the Intermec 782 enables use in the most challenging delivery environment. This durability does not come at the expense

of print quality, as the new 782 printer offers exceptional print clarity and the versatility of graphics capability for logos and even bar codes.

Power to Spare

The automatic power savings sleep mode and quick three hour recharge time along with the vehicle charger option creates the optimum application solution for a long service day.

782T Printer Workboard is Designed Especially for 700 Series

Designed specifically to hold the new Intermec 700 Series mobile computer, the 782 printer workboard offers a rugged one-piece solution. The 782T features a 40-column direct thermal printer. The printer workboard accommodates a hand strap, shoulder strap and is capable of being mounted in a vehicle. Durable in design, these workboards easily take the punishment of daily work environments.

Physical Characteristics**Length:** 29.01cm (11.42 in.)**Width:** 21.34cm (8.40 in.)**Height:** 6.68cm (2.63 in.)**Weight:** 800grams (28.22 ozs) without paper**Environment**

-20° to 50° C (-4° to 122° F)

Relative Humidity: 10% to 90% non-condensing**Drop Test:** 5 foot to concrete**Power Source****Type:** 7.2 v Lithium-ion 1800mAh (2) 3.8 V cells in series**Battery Life:** 300 Cycles with 80% capacity remaining**Battery:** Factory/Service Center replaceable**Recharging:** Nine hours to full charge using an vehicle charger Power adapter or standard AC power adapter.**Charge Jack:** 2.5 mm DC jack 12V – 15V**Print Specifications****Print Mechanism:** 384 dots across**Print Speed:** 1.83 in. per second**Fonts:** Hundreds of fonts available. 782T comes with seven (7) standard load fonts.**Printer Capabilities:** Characters, graphics and bar codes**Paper Medium:** 782T Thermal paper**Print Duration Per Charge:** Depended on usage and thermal printer engine.

An 8-hour shift is easily accomplished.

Hardware**Interface:** IrDA® RS-232: 6-position modular data jack/flash re-programmable**Card Reader:** Optional**Chargers:** AC wall charger; 12v vehicle charger**Regulatory Approvals**

FCC title 47, Part 15, Subpart B, Class B

EN55022 Class B

EN50082-1

IEC1000-3-2

IEC1000-3-3

**North America**

Corporate Headquarters
6001 36th Avenue West
Everett, Washington 98203
tel: 425.348.2600
fax: 425.355.9551

550 2nd Street S.E.
Cedar Rapids, Iowa 52401
tel: 319.369.3100
fax: 319.369.3453

Media Supplies
9290 Le Saint Drive
Fairfield, Ohio 45014
tel: 513.874.5882
fax: 513.874.8487

Canada

7065 Tranmere Drive
Mississauga, Ontario
L5S 1M2 Canada
tel: 905.673.9333
fax: 905.673.3974

Europe/**Middle East & Africa
Headquarters**

Reading International Business Park
Basingstoke Road
Reading RG2 6DD
United Kingdom
tel: 44.118.923.0800
fax: 44.118.923.0801

Asia

Asia Regional Office
26-16 International Plaza
10 Anson Road
Singapore 079903
tel: 65.6324.8391
fax: 65.6324.8393

Beijing Representative Office

29 FL, Unit A1, China Merchant Tower
118 Jian Guo Road
Chaoyang District, Beijing 100022
Tel: 86.10.5165.5922
Fax: 86.10.6567.6778

Australia

Level 4, 1-3 Atchison Street
St. Leonards, NSW 2065
Australia
tel: 61.2.9330.4400
fax: 61.2.9437.0204

South America & Mexico

Intermec South America Ltda.
Rua Samuel Morse 120 9 andar
Brooklin CEP04576-060
São Paulo, SP
Brazil
tel: 55.11.5502.6770

Intermec Technologies de Mexico

Av Tamaulipas #141, Primer Piso
Col. Hipodromo Condesa
Mexico, DF, 06140 Mexico
tel: 525.55.241.4800
fax: 525.55.211.8121

Internet

www.intermec.com

Sales

800.347.2636
(toll free in N.A.)
tel: 425.348.2726

OEM Sales

tel: 425.348.2762

Service and Support

800.755.5505
(toll free in N.A.)
tel: 425.356.1799

Copyright © 2005 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A.
611015-01D 12/05

In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.



BARCODING, WIRELESS AND DATA COLLECTION

Our customers turn to us to help them become more productive and profitable. TPI's expertise guarantees your project will be successful: on time, on budget and meet your ROI requirements.

TPI will facilitate your entire wireless and data collection project:

- ✓ *Business analysis*
- ✓ *Project justification & ROI*
- ✓ *Wireless design, RF site survey and spectrum analysis*
- ✓ *WWAN, WLAN design & installation*
- ✓ *Custom software*
- ✓ *Integration w/legacy systems*
- ✓ *Mobile computers*
- ✓ *Data collection terminals*
- ✓ *Barcode printers, labels and scanners*
- ✓ *RFID solutions*
- ✓ *Configuration and deployment*
- ✓ *Training and installation*
- ✓ *Service and upgrades*
- ✓ *Remote device management and support*

TPI can share best practices in data collection from a number of industries including wholesale distribution, manufacturing, healthcare and retail/consumer goods. Our expertise allows you to shorten your learning curve and increase your return on investment.

Product specification sheet provided by TPI

www.tpi1.com
888-488-4244

