

RS 1 Ring Scanner



WEARABLE SCANNERS

The Laser Scanner You Wear on Your Finger to Read Bar Codes without Interrupting Workflow

The RS 1 Ring Scanner from Symbol Technologies redefines point and shoot scanning. It's the revolutionary laser scanner you slip on your index finger—and then go to work: Point your finger, activate the scanner with a squeeze of your thumb and the RS 1 reads bar codes from four to 30 in./10 to 76 cm, even poor quality bar codes.

Revolutionary Ergonomics and Performance for Truly Hands-Free Scanning

The RS 1 Ring Scanner is activated by pressing the thumb against a button at the base of the wearer's index finger. A red and green LED on the ring confirms the scan. Weighing less than 1.7 oz./48 gm, the RS 1 is so light it can be worn indefinitely without fatigue. And, at just 0.9 in./2.3 cm high, it's compact enough to avoid bumps and knocks; but even when it doesn't there's a scratch-resistant coating to protect the replaceable window. Its Mylar® scan element is not only super small and lightweight, it's frictionless, so there's no wear and tear on the moving parts.

The mount for the RS 1 features an adjustable strap, allowing it to fit fingers of all sizes, and because it's reversible it works equally well for right- and left-handers. With user safety in mind, Symbol has designed the ring scanner to break away from the finger at under 20 lbs./9 kg of pressure.

Expand the Capabilities and Flexibility of Your Existing Terminals

A single lightweight cable connects the RS 1 to a wide variety of data collection and transmission devices from Symbol Technologies or other manufacturers. It connects to portable data terminals, such as Symbol's popular PDT 3100 and 3300 Series, as a replacement for the scanner worn on the back of the hand; to portable pen terminals, such as Symbol's PPT 4600 Series; and even to stationary terminals, such as PCs and retail POS registers. A retrofit with the RS 1 is a cost effective way to extend the life of your investment by adding hands-free scanning capabilities to your existing terminals.



Features	Benefits
Innovative ring scanner	Hands-free operation for improved efficiency and greater speed and productivity including moving packages, products or materials
Compatible for retrofit to existing devices; RS 1 provides standard 5-volt laser scanner output	Easy, cost-effective way to expand the performance of computers from Symbol and other manufacturers; adds bar code scanning to Symbol's popular PDT 3100 and 3300 Portable Data Terminals enabling upgrade path and increasing return from existing investment
Mylar scan element	No friction means no wear and tear on the moving parts to ensure a long life of trouble-free, reliable operation
Low power consumption maximizes battery life in portable applications	Maintains operators' productivity as battery provides power for a full work shift on one charge when worn with the WSS 1040 system
Weighs 1.7 oz./48 gm	Ideal for extended wear without fatigue-reduces stress
Adjustable, thumb-activated scanner button	Extremely easy and natural to use, and equally comfortable for right- and left-handers
Adjustable strap	Fits fingers of all sizes; strap can be changed quickly from user to user, thus eliminating hygiene concerns
20 lbs./9 kg breakaway force factor	To protect employees, scanner automatically breaks away from the finger with 20 lbs./9 kg of pressure
Only 0.9 in./2.3 cm high	Low profile protects ring scanner from accidental knocks and damage
High performance on all types of bar codes	Total flexibility; reads poor quality codes of the type that are often found in warehouse environments
Red/green light emitting diode on ring	Confirms successful scan for operator

More than a Scanner, the RS 1 Can Be Part of a Wearable Productivity System

The RS 1 is also a primary component in Symbol's WSS 1040 Wearable System. In this application, it connects to an integrated computer and wireless radio worn on the forearm. The WSS 1040 and RS 1 form a complete productivity system with today's most advanced ergonomics, robust data collection capabilities, and wireless communications using Symbol's Spectrum 24® RF technology. What's more, as part of the WSS 1040, the RS 1's low power consumption further enhances productivity because a single battery charge lasts through a full work shift.

Applications Unlimited

Applications for the RS 1 are virtually unlimited. In warehouse and distribution environments, it's ideal for shipping and receiving, order picking, stock pulling and put-away, item tracking, cross-dock transfers, and inventories/cycle counts. Parcel and package delivery companies will put the RS 1 to work doing parcel sortation, tracking and cross-dock transfers. Retailers will use it not only for point-of-sale applications, but for shelf price audits, store transfers and inventory management. There are applications, as well, for manufacturers to track work in process; for freight movers in tracking shipments and managing cross-dock transfers; for passenger airlines in baggage tracking and sortation and inventory services.

The RS 1 Ring Scanner. It's simply the smallest, most ergonomic laser scanner in the world. And, it's another breakthrough innovation from Symbol Technologies, the leader in bar code-driven data management systems, with millions of scanners and terminals installed worldwide.

To find out how your company's workforce can be more productive using the RS 1 Ring Scanner, visit us at www.symbol.com/wearable

RS 1 Ring Scanner Specification Highlights

Physical Characteristics

Voltage:	5 Volts DC
Current:	120 mA nominal (both LEDs "on")
Weight:	1.7 oz./48 gm
Color:	Grey, yellow
Dimensions:	1.1 in. W x 1.7 in. L x 0.9 in. H/ 34 mm W x 52 mm L x 27 mm H

Performance Characteristics

Light Source:	675 nm laser diode
Scan Rate:	36 scans per second
Yaw:	±60°
Roll (Skew):	±20°
Pitch Contract:	±55°

User Environment

Ambient Light:	Up to 9000 ft. candles sunlight and 450 ft. candles artificial light
Operating Temperature:	-4° to 122° F/-20° to 50° C
Storage Temperature:	-40° to 140° F/-40° to 60° C
Humidity:	5° to 90° non-condensing
Breakaway Factor:	20 lbs./9 kg of pressure

Regulatory


Electrical Safety:	Certified to UL 1950, CSA C22.2 No. 950, EN60950/IEC950
EMI/RFI:	FCC Part 15 Class B, IECs-003 Class B, European Union EMC Directive, Australian SMA
Laser Safety:	CDRH Class II, IEC Class 2

EN410 CE



RS 1 Decode Zone

NOTE: Typical performance at 68° F/20° C on high-quality symbols



Specifications are subject to change without notice.

All product and company names are trademarks, service marks or registered trademarks of their respective owners.



Part No. GI Printed in USA 9/00 ©2000 Symbol Technologies, Inc. Symbol is an ISO 9001 and ISO 9002 UKAS, RVC, and RAB Registered company, as scope definitions apply.

For system, product or services availability and specific information within your country, please contact your local Symbol Technologies office or Business Partner.

Corporate Headquarters
Symbol Technologies, Inc.
 One Symbol Plaza, Holtsville, NY 11742-1300
 TEL: 1-800-722-6234/1-631-738-2400
 FAX: 1-631-738-5990

For Asia Pacific Area
Symbol Technologies Asia, Inc.
 (Singapore Branch)
 Asia Pacific Division
 230 Victoria Street #04-05
 Bugis Junction Office Tower
 Singapore 188024
 TEL: 65-337-6588
 FAX: 65-337-6488

For Europe, Middle East and Africa
Symbol Technologies
 EMEA Division
 Symbol Place, Winnersh Triangle
 Berkshire, England RG41 5TP
 TEL: 44-118-9457000
 FAX: 44-118-9457500

For North America, Latin America and Canada
Symbol Technologies
 The Americas
 One Symbol Plaza
 Holtsville, NY 11742-1300
 TEL: 1-800-722-6234/1-631-738-2400
 FAX: 1-631-738-5990

Symbol World Wide Web Internet Site
 For a complete list of Symbol subsidiaries and Business Partners worldwide contact us at:
<http://www.symbol.com>
 E-mail: webmaster@symbol.com





BARCODING, WIRELESS AND DATA COLLECTION

Our customers turn to us to help them become more productive and profitable. TPI's expertise guarantees your project will be successful: on time, on budget and meet your ROI requirements.

TPI will facilitate your entire wireless and data collection project:

- ✓ *Business analysis*
- ✓ *Project justification & ROI*
- ✓ *Wireless design, RF site survey and spectrum analysis*
- ✓ *WWAN, WLAN design & installation*
- ✓ *Custom software*
- ✓ *Integration w/legacy systems*
- ✓ *Mobile computers*
- ✓ *Data collection terminals*
- ✓ *Barcode printers, labels and scanners*
- ✓ *RFID solutions*
- ✓ *Configuration and deployment*
- ✓ *Training and installation*
- ✓ *Service and upgrades*
- ✓ *Remote device management and support*

TPI can share best practices in data collection from a number of industries including wholesale distribution, manufacturing, healthcare and retail/consumer goods. Our expertise allows you to shorten your learning curve and increase your return on investment.

Product specification sheet provided by TPI

www.tpi1.com
888-488-4244

